



Thermo- Calc Software

References for Thermo-Calc Software and its Applications

The references selectively listed in this document are regarding the development of the Thermo-Calc software/database/interface package, thermodynamic models implemented in the software, thermodynamic databases used together with the package, and some specific applications utilizing it. A search of the literature will also include other available references not listed here.

General References for the Thermo-Calc Package

1. Ågren, J. Computer simulations of the austenite/ferrite diffusional transformations in low alloyed steels. *Acta Metall.* **30**, 841–851 (1982).
2. Andersson, J. O., Fernández-Guillermet, A., Hillert, M., Jansson, B. & Sundman, B. A compound- energy model of ordering in a phase with sites of different coordination numbers. *Acta Metall.* **34**, 437–445 (1986).
3. Andersson, J.-O., Helander, T., Höglund, L., Shi, P. & Sundman, B. Thermo-Calc & DICTRA, computational tools for materials science. *Calphad* **26**, 273–312 (2002).
4. Andersson, J.-O., Höglund, L., Jönsson, B. & Ågren, J. in *Fundamentals and Applications of Ternary Diffusion: Proceedings of Metallurgical Society of Canadian Institute of Mining and Metallurgy* (ed. Purdy, G. R.) 153–163 (Elsevier, 1990).
5. Ansara, I. & Sundman, B. in *Computer Handling and Dissemination of Data* (ed. Glaeser, P. S.) 154–158 (Elsevier, 1987).
6. Borgenstam, A., Höglund, L., Ågren, J. & Engström, A. DICTRA, a tool for simulation of diffusional transformations in alloys. *J. Phase Equilibria* **21**, 269–280 (2000).
7. Engström, A., Höglund, L. & Ågren, J. Computer simulation of diffusion in multiphase systems. *Metall. Mater. Trans. A* **25**, 1127–1134 (1994).
8. Eriksson, G. & Johansson, T. Chemical and thermal equilibrium calculations for a quantitative description of a non-isothermal reactor, with application to the silicon arc furnace. *Scand. J. Metall.* **7**, 264–270 (1978).
9. Hillert, M., Jansson, B. & Sundman, B. Application of the Compound Energy Model to oxide systems. *Zeitschrift für Met.* **79**, 81–87 (1988).
10. Hillert, M. & Sundman, B. Scheil reaction scheme by computer. *Calphad* **14**, 111–114 (1990).
11. Hillert, M. *Phase Equilibria, Phase Diagrams, and Phase Transformations: Their Thermodynamic Basis*. (Cambridge University Press, 1998).
12. Hillert, M. Empirical methods of predicting and representing thermodynamic properties of ternary solution phases. *Calphad* **4**, 1–12 (1980).
13. Hillert, M. A modified regular-solution model for terminal solutions. *Metall. Mater. Trans. A* **17**, 1878–1879 (1986).
14. Hillert, M., Jansson, B., Sundman, B. & Ågren, J. A two-sublattice model for molten solutions with different tendency for ionization. *Metall. Trans. A* **16**, 261–266 (1985).
15. Jansson, B., Schalin, M., Selleby, M. & Sundman, B. in *Computer Software in Chemical and Extractive Metallurgy* (eds. Irons, G. A. & Bale, C. W.) 57–71 (Canadian Institute of Mining, Metallurgy and Petroleum, 1993).
16. Jansson, B., Schalin, M. & Sundman, B. Thermodynamic calculations made easy. *J. Phase Equilibria* **14**, 557–562 (1993).
17. Jansson, B. Computer Operated Methods for Equilibrium Calculations and Evaluation of Thermochemical Model Parameters. Doctoral Thesis (KTH Royal Institute of Technology, 1984).
18. Jansson, B., Jönsson, B., Sundman, B. & Ågren, J. The Thermo Calc project. *Thermochim. Acta* **214**, 93–96 (1993).
19. Kaufman, L. & Bernstein, H. *Computer Calculation of Phase Diagrams*. (Academic Press, 1970).
20. Sundman, B. in *Computer Aided Innovation of New Materials* (eds. Kihara, J., Yamamoto, R.,

- Doyama, M. & Suzuki, T.) 795 (Elsevier Science Publishers B. V., 1991).
21. Sundman, B. Application of computer techniques on the treatment of the thermodynamics of alloys. Doctoral Thesis (KTH Royal Institute of Technology, 1981).
 22. Sundman, B. & Mohri, T. Implementation of cluster variation method in the framework of a general thermodynamic databank. *Zeitschrift für Met.* **81**, 251–254 (1990).
 23. Sundman, B. & Shi, P. in *Proceedings of the Ninth International Conference on High Temperature Materials Chemistry: Held at University Park, PA on May 19 - 23, 1997* (ed. Spear, K. E.) 52–59 (Electrochemical Society, 1997).
 24. Sundman, B. Thermodynamic databanks, visions and facts. *Scandinavian J. Metall.* **20**, 79–85 (1991).
 25. Sundman, B. Modification of the two-sublattice model for liquids. *Calphad* **15**, 109–119 (1991).
 26. Sundman, B. Review of alloys modelling. *An. Fis. Ser. B Apl. Metod. e Instrumentos Anales Fis. Ser. B* **86**, 69–82 (1990).
 27. Sundman, B. & Ågren, J. A regular solution model for phases with several components and sublattices, suitable for computer applications. *J. Phys. Chem. Solids* **42**, 297–301 (1981).
 28. Sundman, B. et al. in *Non Bibliographic Data Banks in Science & Technology: Papers Presented at CODATA/Unesco/DFI Seminar, Stockholm, October 15-22, 1983* (eds. Schwarz, S., Watson, D. G. & Alfeldt, O.) (CODATA and Unesco by the ICSU Press, 1985).
 29. Sundman, B., Jansson, B. & Andersson, J.-O. The Thermo-Calc databank system. *Calphad* **9**, 153–190 (1985).

References for the Thermo-Calc Models

1. Andersson, J. O., Fernández-Guillermet, A., Hillert, M., Jansson, B. & Sundman, B. A compound-energy model of ordering in a phase with sites of different coordination numbers. *Acta Metall.* **34**, 437–445 (1986).
2. Andersson, J.-O. et al. A new method of describing lattice stabilities. *Calphad* **11**, 93–98 (1987).
3. Ansara, I. et al. A binary database for III–V compound semiconductor systems. *Calphad* **18**, 177–222 (1994).
4. Ansara, I. & Sundman, B. Calculation of the magnetic contribution for intermetallic compounds. *Calphad* **24**, 181–182 (2000).
5. Ansara, I., Sundman, B. & Willemin, P. Thermodynamic modeling of ordered phases in the Ni-Al system. *Acta Metall.* **36**, 977–982 (1988).
6. Ansara, I. et al. Models for composition dependence. *Calphad* **24**, 19–40 (2000).
7. Atkins, P. W. *Physical Chemistry*. (Oxford University Press, 1982).
8. Barry, T. I. et al. The compound energy model for ionic solutions with applications to solid oxides. *J. Phase Equilibria* **13**, 459–475 (1992).
9. Belonoshko, A. B., Shi, P. & Saxena, S. K. SUPERFLUID: a FORTRAN-77 program for calculation of gibbs free energy and volume of C-H-O-N-S-Ar mixtures. *Comput. Geosci.* **18**, 1267–1269 (1992).
10. Belonoshko, A. B. & Saxena, S. K. A unified equation of state for fluids of C-H-O-N-S-Ar composition and their mixtures up to very high temperatures and pressures. *Geochim. Cosmochim. Acta* **56**, 3611–3626 (1992).
11. Borgenstam, A., Höglund, L., Ågren, J. & Engström, A. DICTRA, a tool for simulation of diffusional transformations in alloys. *J. Phase Equilibria* **21**, 269–280 (2000).
12. Burshtein, A. I. *Introduction to Thermodynamics and Kinetic Theory of Matter*. (Wiley-VCH, 2005).
13. Ciavatta, L. The specific interaction theory in equilibrium analysis. Some empirical rules for estimating interaction coefficients of metal ion complexes. *Ann. di Chim. (Rome, Italy)* **80**, 255–263 (1990).

14. Fries, S. G., Lukas, H. L., Ansara, I. & Sundman, B. The Bragg-Williams-Gorsky (BWG) ordering treatment in the compound energy formalism (CEF). *Berichte der Bunsengesellschaft für Phys. Chemie* **102**, 1102–1110 (1998).
15. Frisk, K. & Selleby, M. The compound energy formalism: applications. *J. Alloys Compd.* **320**, 177–188 (2001).
16. Gaye, H. & Welfringer, J. Modelling of the thermodynamic properties of complex metallurgical slags. in *Second International Symposium on Metallurgical Slags and Fluxes* (eds. Fine, H. A. & Gaskell, D. R.) 357 (TMS-AIME, 1984).
17. Haar, L., Gallagher, J. S. & Kell, G. S. S. Nbs/Nrc Steam Tables: Thermodynamic and Transport Properties and Computer Programs for Vapor and Liquid States of Water in SI Units. (Hemisphere Pub, 1984).
18. Hallstedt, B. & Hillert, M. On the dilute solution laws for ionic compounds. *Calphad* **14**, 23–26 (1990).
19. Hallstedt, B., Hillert, M., Selleby, M. & Sundman, B. Modelling of acid and basic slags. *Calphad* **18**, 31–37 (1994).
20. Helgeson, H. C., Kirkham, D. H. & Flowers, G. C. Theoretical prediction of the thermodynamic behavior of aqueous electrolytes by high pressures and temperatures; IV, Calculation of activity coefficients, osmotic coefficients, and apparent molal and standard and relative partial molal properties to 600 d. *Am. J. Sci.* **281**, 1249–1516 (1981).
21. Hill, P. G. A Unified Fundamental Equation for the Thermodynamic Properties of H₂O. *J. Phys. Chem. Ref. Data* **19**, 1233–1274 (1990).
22. Hillert, M., Jansson, B. & Sundman, B. Application of the Compound Energy Model to oxide systems. *Zeitschrift für Met.* **79**, 81–87 (1988).
23. Hillert, M. & Schalin, M. How can CALPHAD develop further as a science? *J. Phase Equilibria* **19**, 206–212 (1998).
24. Hillert, M. & Selleby, M. Point defects in B₂ compounds. *J. Alloys Compd.* **329**, 208–213 (2001).
25. Hillert, M. *Phase Equilibria, Phase Diagrams, and Phase Transformations: Their Thermodynamic Basis*. (Cambridge University Press, 1998).
26. Hillert, M. Progress in modelling of solutions. *Calphad* **22**, 127–133 (1998).
27. Hillert, M. The compound energy formalism. *J. Alloys Compd.* **320**, 161–176 (2001).
28. Hillert, M. Empirical methods of predicting and representing thermodynamic properties of ternary solution phases. *Calphad* **4**, 1–12 (1980).
29. Hillert, M. A modified regular-solution model for terminal solutions. *Metall. Mater. Trans. A* **17**, 1878–1879 (1986).
30. Hillert, M., Jansson, B. & Sundman, B. A model for silicate melts. *Metall. Trans. B* **21**, 404–406 (1990).
31. Hillert, M., Jansson, B., Sundman, B. & Ågren, J. A two-sublattice model for molten solutions with different tendency for ionization. *Metall. Trans. A* **16**, 261–266 (1985).
32. Inden, G. & Meyer, W. O. Approximate Determination of the Curie Temperatures of BCC Fe-Co Alloys. *Zeitschrift für Met.* **66**, 725–727 (1975).
33. Johnson, J. W. & Norton, D. Critical phenomena in hydrothermal systems; state, thermodynamic, electrostatic, and transport properties of H₂O in the critical region. *Am. J. Sci.* **291**, 541–648 (1991).
34. Johnson, J. W., Oelkers, E. H. & Helgeson, H. C. SUPCRT92: A software package for calculating the standard molal thermodynamic properties of minerals, gases, aqueous species, and reactions from 1 to 5000 bar and 0 to 1000°C. *Comput. Geosci.* **18**, 899–947 (1992).
35. Jordan, A. S. in *Calculation of phase diagrams and thermochemistry of alloy phases: proceedings of a symposium held at the fall meeting of the Metallurgical Society of AIME, Milwaukee, Wisconsin, September 17-18, 1979* (eds. Chang, Y. A., Smith, J. F., Committee, M. S. of A. A. P. & Committee, A. S. for M. T. A.) 100 (Metallurgical Society of AIME, 1979).

36. Kikuchi, R. A Theory of Cooperative Phenomena. *Phys. Rev.* **81**, 988–1003 (1951).
37. Klotz, I. M. & Rosenberg, R. M. *Chemical Thermodynamics: Basic Concepts and Methods*. (Wiley-Interscience, 2008).
38. Kondepudi, D. & Prigogine, I. *Modern Thermodynamics: From Heat Engines to Dissipative Structures*. (John Wiley & Sons, 1998).
39. Kumar, K. C. H., Ansara, I. & Wollants, P. Sublattice modelling of the μ -phase. *Calphad* **22**, 323–334 (1998).
40. Kusoffsky, A. & Sundman, B. A simplified short range order model suitable for multicomponent alloys. *Zeitschrift für Met.* **89**, 836–839 (1998).
41. Kusoffsky, A. & Sundman, B. Thermodynamic modelling of short range order using the compound energy formalism. *Berichte der Bunsengesellschaft für Phys. Chemie* **102**, 1111–1115 (1998).
42. Kusoffsky, A. & Sundman, B. Irregular Composition-Dependence of the Configurational Heat Capacity in the Modelling of Ordered Alloys. *J. Phys. Chem. Solids* **59**, 1549–1553 (1998).
43. Levelt Sengers, J. M. H., Kamgar-Parsi, B., Balfour, F. W. & Sengers, J. V. Thermodynamic Properties of Steam in the Critical Region. *J. Phys. Chem. Ref. Data* **12**, 1–28 (1983).
44. Levelt Sengers, J. M. H., Morrison, G. & Chang, R. F. Critical behavior in fluids and fluid mixtures. *Fluid Phase Equilib.* **14**, 19–44 (1983).
45. Ohnuma, I., Ikeda, O., Kainuma, R., Sundman, B. & Ishida, K. Interaction between magnetic and chemical ordering using the Compound Energy Model. *Zeitschrift für Met.* **89**, 847–854 (1998).
46. Pitzer, K. S. in *Activity Coefficients in Electrolyte Solutions* (ed. Pitzer, K. S.) 75–153 (CRC Press, 1991).
47. Pitzer, K. S. Thermodynamics of electrolytes. I. Theoretical basis and general equations. *J. Phys. Chem.* **77**, 268–277 (1973).
48. Prigogine, I. & Defay, R. *Chemical Thermodynamics*. (Longmans Green and Company, 1954).
49. Saunders, N. & Miodownik, A. P. *CALPHAD (Calculation of Phase Diagrams): A Comprehensive Guide*. (Elsevier Science Ltd., 1998).
50. Saxena, S. K. in *High Pressure and High Temperature Research on Lithosphere and Mantle Materials: Proceedings : Siena, 3-9 December 1995* (eds. Mellini, M., Ranalli, G., Ricci, C. A. & Trommsdorf, V.) 15–26 (Università degli Studi di Siena, 1996).
51. Saxena, S. K., Chatterjee, N., Fei, Y. & Shen, G. *Thermodynamic Data on Oxides and Silicates: An Assessed Data Set Based on Thermochemistry and High Pressure Phase Equilibrium*. (Springer-Verlag, 1993).
52. Sengers, J. V. & Levelt Sengers, J. M. H. Thermodynamic Behavior of Fluids Near the Critical Point. *Annu. Rev. Phys. Chem.* **37**, 189–222 (1986).
53. Sengers, J. V. & Levelt Sengers, J. M. H. A universal representation of the thermodynamic properties of fluids in the critical region. *Int. J. Thermophys.* **5**, 195–208 (1984).
54. Sengers, J. V. & Watson, J. T. R. Improved International Formulations for the Viscosity and Thermal Conductivity of Water Substance. *J. Phys. Chem. Ref. Data* **15**, 1291–1314 (1986).
55. Shi, P. & Saxena, S. K. Thermodynamic Modeling of the C-H-O-S Fluid System. *Am. Mineral.* **77**, 1038–1049 (1992).
56. Shi, P., Saxena, S. K., Zheru, Z. & Sundman, B. Thermodynamics of the Ca-Mg-Fe-Al-Si-O Pyroxenes: I. Theoretical model and assessment of the Ca-Mg-Si-O system. *Calphad* **18**, 47–69 (1994).
57. Shi, P., Saxena, S. K. & Eriksson, G. *Thermodynamic Models, Methods and Databases Used in Studying Geochemical Processes of Hydrothermal Systems*. (1992).
58. Shock, E. L., Oelkers, E. H., Johnson, J. W., Sverjensky, D. A. & Helgeson, H. C. Calculation of the thermodynamic properties of aqueous species at high pressures and temperatures. Effective electrostatic radii, dissociation constants and standard partial molal properties to 1000 °C and 5 kbar. *J. Chem. Soc. Faraday Trans.* **88**, 803–826 (1992).

59. Sundman, B. Implementation of pair-CVM in the Compound Energy Method. in Proceedings of an International Workshop on Computer Modelling and Simulation for Materials Design (eds. Nishijima, S. & Onodera, H.) 126–131 (NRIM, 1996).
60. Sundman, B. Implementation of the Ising Model in the Compound Energy Method. *Zeitschrift für Met.* **87**, 529–534 (1996).
61. Sundman, B. & Ågren, J. The Sublattice Model. in Materials Research Society Symposium Proceedings **19**, 115–127 (Materials Research Society, 1983).
62. Sundman, B. & Aldinger, F. Proceedings of the "Workshop on Data for Compounds and other End-members of Solutions" (Ringberg, Germany, 1995). *Calphad* **19**, (1995).
63. Sundman, B. & Mohri, T. Implementation of cluster variation method in the framework of a general thermodynamic databank. *Zeitschrift für Met.* **81**, 251–254 (1990).
64. Sundman, B. Modification of the two-sublattice model for liquids. *Calphad* **15**, 109–119 (1991).
65. Sundman, B. & Ågren, J. A regular solution model for phases with several components and sublattices, suitable for computer applications. *J. Phys. Chem. Solids* **42**, 297–301 (1981).
66. Sundman, B., Fries, S. G. & Oates, W. A. Incorporation of cluster expansion theory into the Compound Energy Formalism. *Calphad* **22**, 355–357 (1998).
67. Uematsu, M. & Frank, E. U. Static Dielectric Constant of Water and Steam. *J. Phys. Chem. Ref. Data* **9**, 1291–1306 (1980).
68. Widmark, H. Importance of Mats Hillert's research work on industrial applications. *Scand. J. Metall.* **20**, 72–78 (1991).
69. Wolery, T. J. *Calculations of Chemical Equilibrium between Aqueous Solution and Minerals: The EQ3/6 Software Package*. (National Technical Information Service, 1979).
70. Wolery, T. J., Isherwood, D. J., Jackson, K. J., Delany, J. M. & Puigdomenech, I. *EQ3/6: status and applications*. (1984).
71. Xiong, W., Chen, Q., Korzhavyi, P. A. & Selleby, M. An improved magnetic model for thermodynamic modeling. *Calphad* **39**, 11–20 (2012).

References for the Thermo-Calc Databases

1. Amend, J. P. & Helgeson, H. C. Calculation of the standard molal thermodynamic properties of aqueous biomolecules at elevated temperatures and pressures. Part I. - L- α -Amino acids. *J. Chem. Soc. Faraday Trans.* **93**, 1927–1941 (1997).
2. Amend, J. P. & Helgeson, H. C. Calculation of the standard molal thermodynamic properties of aqueous biomolecules at elevated temperatures and pressures. Part II: Unfolded proteins. *Biophys. Chem.* **84**, 105–136 (2000).
3. Amend, J. P. & Shock, E. L. Energetics of overall metabolic reactions of thermophilic and hyperthermophilic Archaea and Bacteria. *FEMS Microbiol. Rev.* **25**, 175–243 (2001).
4. Ansara, I. *et al.* A binary database for III–V compound semiconductor systems. *Calphad* **18**, 177–222 (1994).
5. Ansara, I. & Sundman, B. in *Computer Handling and Dissemination of Data* (ed. Glaeser, P. S.) 154–158 (Elsevier, 1987).
6. Ansara, I., Dupin, N., Lukas, H. L. & Sundman, B. Thermodynamic assessment of the Al-Ni system. *J. Alloys Compd.* **247**, 20–30 (1997).
7. ASM. *ASM Handbook Volume 3: Alloy Phase Diagrams - ASM International*. (ASM International, 1992). at <http://www.asminternational.org/online-catalog/handbooks/-/journal_content/56/10192/06479G/PUBLICATION>
8. Backerud, L., Chai, G. & Tamminen, J. *Solidification Characteristics of Aluminum Alloys Vol 2: Foundry Alloys*. (American Foundry Society, 1990).
9. Ball, R. G. J., Mason, P. K. & Mignanelli, M. A. in *The SGTE Casebook: Thermodynamics at Work* (ed.

- Hack, K.) not known (Woodhead Publishing Ltd and Maney Publishing on behalf of The Institute of Materials, Minerals and Mining, 2008).
10. Chevalier, P. Y. A thermodynamic evaluation of the Au-Ge and Au-Si systems. *Thermochim. Acta* **141**, 217–226 (1989).
 11. Ciavatta, L. The specific interaction theory in equilibrium analysis. Some empirical rules for estimating interaction coefficients of metal ion complexes. *Ann. di Chim. (Rome, Italy)* **80**, 255–263 (1990).
 12. COST. *Definition of Thermochemical and Thermophysical Properties to Provide a Database for the Development of New Light Alloys. (3 volumes)*. (European Commission, 1998). Vol 1. Proceedings of the Final Workshop of COST 507, Vaals, the Netherlands, 1997 Vol 2. Thermochemical Database for Light Metal Alloys (Eds. Ansara I., Dinsdale A.T., and Rand M.H.) Vol 3. Critical Evaluation of Ternary Systems (Ed. Effenberg G.)
 13. Dinsdale, A. T. SGTE data for pure elements. *Calphad* **15**, 317–425 (1991).
 14. Dupin, N. & Sundman, B. A thermodynamic database for Ni-base superalloys. *Scand. J. Metall.* **30**, 184–192 (2001).
 15. Gaye, H. & Welfringer, J. Modelling of the thermodynamic properties of complex metallurgical slags. in *Second International Symposium on Metallurgical Slags and Fluxes* (eds. Fine, H. A. & Gaskell, D. R.) 357 (TMS-AIME, 1984).
 16. Ghosh, G., Lukas, H. L. & Delaey, L. A thermodynamic assessment of the Se-Te system. *Calphad* **12**, 295–299 (1988).
 17. Greenberg, J. P. & Møller, N. The prediction of mineral solubilities in natural waters: A chemical equilibrium model for the Na-K-Ca-Cl-SO₄-H₂O system to high concentration from 0 to 250°C. *Geochim. Cosmochim. Acta* **53**, 2503–2518 (1989).
 18. Haar, L., Gallagher, J. S. & Kell, G. S. S. *Nbs/Nrc Steam Tables: Thermodynamic and Transport Properties and Computer Programs for Vapor and Liquid States of Water in SI Units*. (Hemisphere Pub, 1984).
 19. *The SGTE Casebook: Thermodynamics at Work*. (Woodhead Publishing Ltd and Maney Publishing on behalf of The Institute of Materials, Minerals and Mining, 2008).
 20. Harvie, C. E., Møller, N. & Weare, J. H. The prediction of mineral solubilities in natural waters: The Na-K-Mg-Ca-H-Cl-SO₄-OH-HCO₃-CO₃-CO₂-H₂O system to high ionic strengths at 25°C. *Geochim. Cosmochim. Acta* **48**, 723–751 (1984).
 21. Harvie, C. E. & Weare, J. H. The prediction of mineral solubilities in natural waters: the Na-K-Mg- Ca-Cl-SO₄-H₂O system from zero to high concentration at 25° C. *Geochim. Cosmochim. Acta* **44**, 981–997 (1980).
 22. Helgeson, H. C., Kirkham, D. H. & Flowers, G. C. Theoretical prediction of the thermodynamic behavior of aqueous electrolytes by high pressures and temperatures; IV, Calculation of activity coefficients, osmotic coefficients, and apparent molal and standard and relative partial molal properties to 600 d. *Am. J. Sci.* **281**, 1249–1516 (1981).
 23. Hillert, M., Jansson, B. & Sundman, B. Application of the Compound Energy Model to oxide systems. *Zeitschrift für Met.* **79**, 81–87 (1988).
 24. Hillert, M. A modified regular-solution model for terminal solutions. *Metall. Mater. Trans. A* **17**, 1878–1879 (1986).
 25. Hillert, M., Jansson, B., Sundman, B. & Ågren, J. A two-sublattice model for molten solutions with different tendency for ionization. *Metall. Trans. A* **16**, 261–266 (1985).
 26. Horrocks, P. J. Phase Diagram and Thermodynamics of the Ag-Cd-In Ternary Alloy System. Doctoral Thesis (University of Manchester, 1991).
 27. Jordan, A. S. & Robertson, A. Equilibrium gas-phase composition and thermodynamic properties including subhydrides in the pyrolysis of AsH₃ and PH₃. *J. Cryst. Growth* **128**, 488–493 (1993).
 28. Kattner, U. R. & Handwerker, C. A. Calculation of phase equilibria in candidate solder alloys.

- Zeitschrift für Met.* **92**, 740–746 (2001).
29. Kattner, U. R. Phase diagrams for lead-free solder alloys. *JOM* **54**, 45–51 (2002).
 30. Kaufman, L. Development of the KP Binary Alloys Database (Internal documentation).
 31. Kaufman, L. & Bernstein, H. *Computer Calculation of Phase Diagrams*. (Academic Press, 1970).
 32. Li, C., Li, J. B., Du, Z. & Zhang, W. A thermodynamic assessment of the Ga-In-P system. *J. Phase Equilibria* **21**, 357–363 (2000).
 33. Li, C., Li, J.-B., Du, Z., Lu, L. & Zhang, W. A thermodynamic reassessment of the Al-As-Ga system. *J. Phase Equilibria* **22**, 26–33 (2001).
 34. Li, C., Du, Z. & Zhang, W. Thermodynamic Analysis of Ga-N-C-H system for MOVPE process. *Calphad* **24**, 169–180 (2000).
 35. Li, J., Li, C. & Zhang, W. Unpublished results. (1999).
 36. Moon, K.-W., Boettinger, W. J., Kattner, U. R., Handwerker, C. A. & Lee, D.-J. The effect of Pb contamination on the solidification behavior of Sn-Bi solders. *J. Electron. Mater.* **30**, 45–52 (2001).
 37. Moon, K.-W., Boettinger, W. J., Kattner, U. R., Biancaniello, F. S. & Handwerker, C. A. Experimental and thermodynamic assessment of Sn-Ag-Cu solder alloys. *J. Electron. Mater.* **29**, 1122–1136 (2000).
 38. Murnaghan, F. D. The Compressibility of Media under Extreme Pressures. *Proc. Natl. Acad. Sci.* **30**, 244–247 (1944).
 39. Pabalan, R. T. & Pitzer, K. S. Thermodynamics of concentrated electrolyte mixtures and the prediction of mineral solubilities to high temperatures for mixtures in the system Na-K-Mg-Cl- SO₄-OH-H₂O. *Geochim. Cosmochim. Acta* **51**, 2429–2443 (1987).
 40. Pitzer, K. S. in *Activity Coefficients in Electrolyte Solutions* (ed. Pitzer, K. S.) 75–153 (CRC Press, 1991).
 41. Plyasunov, A. V., O’Connell, J. P. & Wood, R. H. Part I. Infinite dilution partial molar properties of aqueous solutions of nonelectrolytes: Equations for partial molar volumes at infinite dilution and standard thermodynamic functions of hydration of volatile nonelectrolytes at temperatures over wide ra. *Geochim. Cosmochim. Acta* **64**, 495–512 (2000).
 42. Plyasunov, A. V., O’Connell, J. P., Wood, R. H. & Shock, E. L. Part II. Infinite dilution partial molar properties of aqueous solutions of nonelectrolytes: Equations for the standard thermodynamic functions of hydration of volatile nonelectrolytes over wide ranges of conditions including subcritical temperatures. *Geochim. Cosmochim. Acta* **64**, 2779–2795 (2000).
 43. Plyasunov, A. V. & Shock, E. L. Standard state Gibbs energies of hydration of hydrocarbons at elevated temperatures as evaluated from experimental phase equilibria studies. *Geochim. Cosmochim. Acta* **64**, 2811–2833 (2000).
 44. Plyasunova, N. V., Wang, M., Zhang, Y. & Muhammed, M. Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions II. Hydrolysis and hydroxo-complexes of Cu²⁺ at 298.15 K. *Hydrometallurgy* **45**, 37–51 (1997).
 45. Plyasunova, N. V., Zhang, Y. & Muhammed, M. Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions. IV. Hydrolysis and hydroxo-complexes of Ni²⁺ at 298.15 K. *Hydrometallurgy* **48**, 43–63 (1998).
 46. Plyasunova, N. V., Zhang, Y. & Muhammed, M. Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions. V. hydrolysis and hydroxo-complexes of Co²⁺ at 298.15 K. *Hydrometallurgy* **48**, 153–169 (1998).
 47. Prapaipong, P. & Shock, E. L. Estimation of standard-state entropies of association for aqueous metal-organic complexes and chelates at 25°C and 1 bar. *Geochim. Cosmochim. Acta* **65**, 3931– 3953 (2001).
 48. Prapaipong, P., Shock, E. L. & Koretsky, C. M. Metal-organic complexes in geochemical processes: temperature dependence of the standard thermodynamic properties of aqueous complexes between metal cations and dicarboxylate ligands. *Geochim. Cosmochim. Acta* **63**, 2547–2577 (1999).

49. Saunders, N. & Miodownik, A. P. *CALPHAD (Calculation of Phase Diagrams): A Comprehensive Guide*. (Elsevier Science Ltd., 1998).
50. Saxena, S. K. Assessment of bulk modulus, thermal expansion and heat capacity of minerals. *Geochim. Cosmochim. Acta* **53**, 785–789 (1989).
51. Saxena, S. K. & Zhang, J. Thermochemical and pressure-volume-temperature systematics of data on solids, examples: Tungsten and MgO. *Phys. Chem. Miner.* **17**, 45–51 (1990).
52. Saxena, S. K., Chatterjee, N., Fei, Y. & Shen, G. *Thermodynamic Data on Oxides and Silicates: An Assessed Data Set Based on Thermochemistry and High Pressure Phase Equilibrium*. (Springer-Verlag, 1993).
53. Schulte, M. D., Shock, E. L. & Wood, R. H. The temperature dependence of the standard-state thermodynamic properties of aqueous nonelectrolytes. *Geochim. Cosmochim. Acta* **65**, 3919–3930 (2001).
54. Shi, P. & Saxena, S. K. Thermodynamic Modeling of the C-H-O-S Fluid System. *Am. Mineral.* **77**, 1038–1049 (1992).
55. Shi, P. & Saxena, S. K. *The AQS Aqueous Solution Database and Its Applications*. (1995).
56. Shi, P. & Saxena, S. K. *The GEOCHEM Geochemical/Environmental Database and Its Applications*. (1995).
57. Shock, E. L. & Koretsky, C. M. Metal-Organic Complexes in Geochemical Processes: Calculation of Standard Partial Molal Thermodynamic Properties of Aqueous Acetate Complexes at High Pressures and Temperatures. *Geochim. Cosmochim. Acta* **57**, 4899–4922 (1993).
58. Shock, E. L. & Koretsky, C. M. Metal-organic complexes in geochemical processes: Estimation of standard partial molal thermodynamic properties of aqueous complexes between metal cations and monovalent organic acid ligands at high pressures and temperatures. *Geochim. Cosmochim. Acta* **59**, 1497–1532 (1995).
59. Shock, E. L. & Helgeson, H. C. Calculation of the thermodynamic and transport properties of aqueous species at high pressures and temperatures: Correlation algorithms for ionic species and equation of state predictions to 5 kb and 1000°C. *Geochim. Cosmochim. Acta* **52**, 2009–2036 (1988).
60. Shock, E. L. & Helgeson, H. C. Calculation of the thermodynamic and transport properties of aqueous species at high pressures and temperatures: Standard partial molal properties of organic species. *Geochim. Cosmochim. Acta* **54**, 915–945 (1990).
61. Shock, E. L., Oelkers, E. H., Johnson, J. W., Sverjensky, D. A. & Helgeson, H. C. Calculation of the thermodynamic properties of aqueous species at high pressures and temperatures. Effective electrostatic radii, dissociation constants and standard partial molal properties to 1000 °C and 5 kbar. *J. Chem. Soc. Faraday Trans.* **88**, 803–826 (1992).
62. Shock, E. L., Sassani, D. C., Willis, M. & Sverjensky, D. A. Inorganic species in geologic fluids: Correlations among standard molal thermodynamic properties of aqueous ions and hydroxide complexes. *Geochim. Cosmochim. Acta* **61**, 907–950 (1997).
63. Shock, E. L., Helgeson, H. C. & Sverjensky, D. A. Calculation of the thermodynamic and transport properties of aqueous species at high pressures and temperatures: Standard partial molal properties of inorganic neutral species. *Geochim. Cosmochim. Acta* **53**, 2157–2183 (1989).
64. Sigworth, G. K. & Elliott, J. F. The Thermodynamics of Liquid Dilute Iron Alloys. *Met. Sci.* **8**, 298–310 (1974).
65. Sverjensky, D. A., Shock, E. L. & Helgeson, H. C. Prediction of the thermodynamic properties of aqueous metal complexes to 1000 degrees C and 5 kb. *Geochim. Cosmochim. Acta* **61**, 1359–1412 (1997).
66. Tirtowidjojo, M. & Pollard, R. Equilibrium gas phase species for MOCVD of Al_xGa_{1-x}As. *J. Cryst. Growth* **77**, 200–209 (1986).
67. Wang, M., Zhang, Y. & Muhammed, M. Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions III. The system Cu(I,II) –Cl⁻ –e at 298.15 K. *Hydrometallurgy* **45**, 53–72 (1997).

68. Wang, M., Zhang, Y. & Muhammed, M. Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions I. A description of evaluation methods. *Hydrometallurgy* **45**, 21–36 (1997).
69. Zabdyr, L. & Zakulski, W. Thermodynamics and phase diagram of the Cd-Zn system. Critical re-evaluation by Lukas method. *Arch. Metall.* **38**, 3–18 (1993).
70. Zhang, W., Li, C. & Du, Z. A thermodynamic database of the Al-Ga-In-P-As-Sb-C-H system and its application in the design of an epitaxy process for III–V semiconductors. *J. Phase Equilibria* **22**, 475–481 (2001).
71. Zhang, Y. & Muhammed, M. Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions: VI. Hydrolysis and hydroxo-complexes of Zn²⁺ at 298.15 K. *Hydrometallurgy* **60**, 215–236 (2001).

Selected References on Specific Thermo-Calc Applications

A.1 Assessments and Calculations of Steel Systems

1. Andersson, J. O. *et al.* Ferrite–austenite equilibrium in silicon steels. *Met. Sci.* **18**, 501–502 (1984).
2. Andersson, J.-O. & Sundman, B. Thermodynamic properties of the Cr-Fe system. *Calphad* **11**, 83–92 (1987).
3. Borgenstam, A. & Hillert, M. Driving force for f.c.c. → b.c.c. martensites in Fe-X alloys. *Acta Mater.* **45**, 2079–2091 (1997).
4. Borgenstam, A., Hillert, M. & Ågren, J. Critical temperature for growth of martensite. *Acta Metall. Mater.* **43**, 945–954 (1995).
5. Fernández-Guillermé, A., Hillert, M., Jansson, B. & Sundman, B. An assessment of the Fe-S system using a two-sublattice model for the liquid phase. *Metall. Trans. B* **12**, 745–754 (1981).
6. Fernández-Guillermé, A. An assessment of the Fe-Mo system. *Calphad* **6**, 127–140 (1982).
7. Forsberg, A. & Ågren, J. Thermodynamic evaluation of the Fe-Mn-Si system and the γ/ϵ martensitic transformation. *J. Phase Equilibria* **14**, 354–363 (1993).
8. Frisk, K. A thermodynamic evaluation of the Cr-N, Fe-N, Mo-N and Cr-Mo-N systems. *Calphad* **15**, 79–106 (1991).
9. Gustafson, P. A thermodynamic evaluation of the C-Fe system. *Scandinavian J. Metall.* **14**, 259–267 (1985).
10. Hertzman, S. & Sundman, B. A thermodynamic analysis of the Fe-Cr-Ni system. *Scand. J. Metall.* **14**, 94–102 (1985).
11. Hertzman, S. & Sundman, B. A thermodynamic analysis of the Fe-Cr system. *Calphad* **6**, 67–80 (1982).
12. Jiang, M., Oikawa, K., Ikeshoji, T., Wulff, L. & Ishida, K. Thermodynamic calculations of Fe-Zr and Fe-Zr-C systems. *J. Phase Equilibria* **22**, 406–417 (2001).
13. Kozeschnik, E. & Vitek, J. M. Ortho-equilibrium and para-equilibrium phase diagrams for interstitial / substitutional iron alloys. *Calphad* **24**, 495–502 (2000).
14. Lacaze, J. & Sundman, B. An assessment of the Fe-C-Si system. *Metall. Trans. A* **22**, 2211–2223 (1991).
15. Lee, B.-J. A Thermodynamic Evaluation of the Fe-Cr-Ni System. *J. Korean Inst. Met. Mater.* **31**, 480–489 (1993).
16. Lee, B.-J. A thermodynamic evaluation of the Cr-Mn and Fe-Cr-Mn systems. *Metall. Trans. A* **24**, 1919–1933 (1993).
17. Lee, B.-J. Thermodynamic assessment of the Fe-Nb-Ti-C-N system. *Metall. Mater. Trans. A* **32**, 2423–2439 (2001).

18. Lee, B.-J. A thermodynamic evaluation of the Fe-Cr-Mn-C system. *Metall. Trans. A* **24**, 1017–1025 (1993).
19. Liu, Z.-K., Zhang, W. & Sundman, B. Thermodynamic assessment of the Co-Fe-Gd systems. *J. Alloys Compd.* **226**, 33–45 (1995).
20. Miettinen, J. Approximate thermodynamic solution phase data for steels. *Calphad* **22**, 275–300 (1998).
21. Miettinen, J. Thermodynamic reassessment of Fe-Cr-Ni system with emphasis on the iron-rich corner. *Calphad* **23**, 231–248 (1999).
22. Miettinen, J. Thermodynamic description of solution phases of systems Fe-Cr-Si and Fe-Ni-Si with low silicon contents and with application to stainless steels. *Calphad* **23**, 249–262 (1999).
23. Miettinen, J. Reassessed thermodynamic solution phase data for ternary Fe-Si-C system. *Calphad* **22**, 231–256 (1998).
24. Miettinen, J. & Hallstedt, B. Thermodynamic assessment of the Fe-FeS-MnS-Mn system. *Calphad* **22**, 257–273 (1998).
25. Oertel, L. C. & De Costa e Silva, A. L. V. Application of thermodynamic modeling to slag-metal equilibria in steelmaking. *Calphad* **23**, 379–391 (1999).
26. Pei, B., Björkman, B., Sundman, B. & Jansson, B. A thermodynamic assessment of the iron-antimony system. *Calphad* **19**, 1–15 (1995).
27. Su, X., Tang, N.-Y. & Toguri, J. M. Thermodynamic evaluation of the Fe-Zn system. *J. Alloys Compd.* **325**, 129–136 (2001).
28. Sundman, B. An assessment of the Fe-O system. *J. Phase Equilibria* **12**, 127–140 (1991).
29. Swartzendruber, L. J. & Sundman, B. The Fe-Ru (Iron-Ruthenium) system. *Bull. Alloy Phase Diagrams* **4**, 155–160 (1983).
30. Swartzendruber, L. J. & Sundman, B. The Fe-Os (Iron-Osmium) system. *Bull. Alloy Phase Diagrams* **4**, 396–399 (1983).
31. Vitek, J. M., Kozeschnik, E. & David, S. A. Simulating the ferrite-to-austenite transformation in stainless steel welds. *Calphad* **25**, 217–230 (2001).
32. Yamashita, T., Okuda, K. & Obara, T. Application of Thermo-Calc to the developments of high-performance steels. *J. Phase Equilibria* **20**, 231–237 (1999).

A.2 Assessments and Calculations of Various Alloy Systems

1. Andersson, J.-O. Thermodynamic properties of Cr-C. *Calphad* **11**, 271–276 (1987).
2. Andersson, J.-O. Thermodynamic properties of Mo-C. *Calphad* **12**, 1–8 (1988).
3. Ansara, I. & Sundman, B. in *Computer Handling and Dissemination of Data* (ed. Glaeser, P. S.) 154–158 (Elsevier, 1987).
4. Ansara, I., Dupin, N., Lukas, H. L. & Sundman, B. Thermodynamic assessment of the Al-Ni system. *J. Alloys Compd.* **247**, 20–30 (1997).
5. Bittermann, H. & Rogl, P. Critical assessment and thermodynamic calculation of the ternary system boron-hafnium-titanium (B-Hf-Ti). *J. Phase Equilibria* **18**, 24–47 (1997).
6. COST. *Definition of Thermochemical and Thermophysical Properties to Provide a Database for the Development of New Light Alloys. (3 volumes)*. (European Commission, 1998).
7. Cui, Y. *et al.* Thermodynamic calculation of the In-Sn-Zn ternary system. *J. Alloys Compd.* **320**, 234–241 (2001).
8. Cui, Y., Jin, Z. & Lu, X. Experimental study and thermodynamic assessment of the Ni-Mo-Ta ternary system. *Metall. Mater. Trans. A* **30**, 2735–2744 (1999).
9. Davydov, A. V. *et al.* Determination of the CoTi congruent melting point and thermodynamic reassessment of the Co-Ti system. *Metall. Mater. Trans. A* **32**, 2175–2186 (2001).
10. Du, Y., Wenzel, R. & Schmid-Fetzer, R. Thermodynamic analysis of reactions in the Al-N-Ta and Al-N-V

- systems. *Calphad* **22**, 43–58 (1998).
11. Du, Z. & Yang, H. Thermodynamic assessment of the Gd–Pd system. *J. Alloys Compd.* **312**, 181–188 (2000).
 12. Dumitrescu, L. F. S., Ekroth, M. & Jansson, B. Thermodynamic assessment of the Me–Co–C systems (Me=Ti, Ta, or Nb). *Metall. Mater. Trans. A* **32**, 2167–2174 (2001).
 13. Dupin, N., Ansara, I. & Sundman, B. Thermodynamic re-assessment of the ternary system Al–Cr–Ni. *Calphad* **25**, 279–298 (2001).
 14. Fernández-Guillermet, A. & Frisk, K. Thermodynamic properties of Ni nitrides and phase stability in the Ni–N system. *Int. J. Thermophys.* **12**, 417–431 (1991).
 15. Feutelais, Y., Schlieper, A. & Fries, S. G. Thermodynamic evaluation of the system silicon–tellurium. *Calphad* **23**, 365–378 (1999).
 16. Fries, S. G., Ansara, I. & Lukas, H. L. Thermodynamic optimisation of the Pb–Ti binary system. *J. Alloys Compd.* **320**, 228–233 (2001).
 17. Ghosh, G. & Olson, G. B. Simulation of paraequilibrium growth in multicomponent systems. *Metall. Mater. Trans. A* **32**, 455–467 (2001).
 18. Gómez-Acebo, T. Thermodynamic assessment of the Ag–Zn system. *Calphad* **22**, 203–220 (1998).
 19. Gröbner, J., Pisch, A. & Schmid-Fetzer, R. Thermodynamic optimization of the systems Mn–Gd and Mn–Y using new experimental results. *J. Alloys Compd.* **317–318**, 433–437 (2001).
 20. Gros, J. P., Sundman, B. & Ansara, I. Thermodynamic modeling of the Ti-rich phases in the TiAl system. *Scr. Metall.* **22**, 1587–1591 (1988).
 21. Jacobs, M. H. G. & Spencer, P. J. A critical thermodynamic evaluation of the systems Si–Zn and Al–Si–Zn. *Calphad* **20**, 307–320 (1996).
 22. Jacobs, M. H. G. & Spencer, P. J. A critical thermodynamic evaluation of the system Mg–Ni. *Calphad* **22**, 513–525 (1998).
 23. Jantzen, T. & Spencer, P. J. Thermodynamic assessments of the Cu–Pb–Zn and Cu–Sn–Zn systems. *Calphad* **22**, 417–434 (1998).
 24. Kimura, M. & Hashimoto, K. High-temperature phase equilibria in Ti–Al–Mo system. *J. Phase Equilibria* **20**, 224–230 (1999).
 25. Kusoffsky, A. & Jansson, B. A thermodynamic evaluation of the Co–Cr and the C–Co–Cr systems. *Calphad* **21**, 321–333 (1997).
 26. Kusoffsky, A. & Sundman, B. Irregular Composition-Dependence of the Configurational Heat Capacity in the Modelling of Ordered Alloys. *J. Phys. Chem. Solids* **59**, 1549–1553 (1998).
 27. Lee, B.-J. Thermodynamic assessments of the Sn–Zn and In–Zn binary systems. *Calphad* **20**, 471–480 (1996).
 28. Lee, B.-J. On the stability of Cr carbides. *Calphad* **16**, 121–149 (1992).
 29. Liang, P. *et al.* Thermodynamic modelling of the Cu–Mg–Zn ternary system. *Calphad* **22**, 527–544 (1998).
 30. Liu, Y. Q., Shao, G. & Homewood, K. P. Thermodynamic assessment of the Ru–Si and Os–Si systems. *J. Alloys Compd.* **320**, 72–79 (2001).
 31. Liu, Z.-K., Zhong, Y., Schlom, D. G., Xi, X. X. & Li, Q. Computational thermodynamic modeling of the Mg–B system. *Calphad* **25**, 299–303 (2001).
 32. Mahdouk, K., Sundman, B. & Gachon, J.-C. New results about the osmium–zirconium system. *J. Alloys Compd.* **241**, 199–209 (1996).
 33. Mathon, M., Jarret, K., Aragon, E., Satre, P. & Sebaoun, A. Al–Ga–Zn System: Reassessments of the Three Binary Systems and Discussion on Possible Estimations and on Optimisation of the Ternary System. *Calphad* **24**, 253–284 (2000).
 34. Mohri, T. *et al.* Theoretical investigation of L10-disorder phase equilibria in Fe–Pd alloy system. *J.*

- Alloys Compd.* **317–318**, 13–18 (2001).
35. Morishita, M., Koyama, K., Yagi, S. & Zhang, G. Calculated phase diagram of the Ni–Mo–B ternary system. *J. Alloys Compd.* **314**, 212–218 (2001).
 36. Oh, C.-S., Murakami, H. & Harada, H. Thermodynamic evaluation of the Mo–Ru system. *J. Alloys Compd.* **313**, 115–120 (2000).
 37. Pérez, R. J. & Sundman, B. Thermodynamic assessment of the Cr–Sn binary system. *Calphad* **25**, 59–66 (2001).
 38. Risold, D., Hallstedt, B., Gauckler, L. J., Lukas, H. L. & Fries, S. G. Thermodynamic optimization of the Ca–Cu and Sr–Cu systems. *Calphad* **20**, 151–160 (1996).
 39. Saunders, N. & Miodownik, A. P. *CALPHAD (Calculation of Phase Diagrams): A Comprehensive Guide*. (Elsevier Science Ltd., 1998).
 40. Schuster, J. C. & Du, Y. Experimental investigation and thermodynamic modeling of the Cr–Ni–Si system. *Metall. Mater. Trans. A* **31**, 1795–1803 (2000).
 41. Schuster, J. C. & Du, Y. Thermodynamic description of the system Ti–Cr–C. *Calphad* **23**, 393–408 (1999).
 42. Servant, C., Sundman, B. & Lyon, O. Thermodynamic assessment of the Cu–Fe–Ni system. *Calphad* **25**, 79–95 (2001).
 43. Shim, J.-H., Lee, H.-N., Ha, H. P., Cho, Y. W. & Yoon, E.-P. Liquid miscibility gap in the Al–Pb–Sn system. *J. Alloys Compd.* **327**, 270–274 (2001).
 44. Su, X., Tang, N.-Y. & Toguri, J. M. Thermodynamic evaluation of the Fe–Zn system. *J. Alloys Compd.* **325**, 129–136 (2001).
 45. Su, X., Yin, F., Huang, M., Li, Z. & Chen, C. Thermodynamic assessment of the Pt–Sn system. *J. Alloys Compd.* **325**, 109–112 (2001).
 46. Sundman, B., Fries, S. G. & Oates, W. A. CALPHAD-type assessment of the Au–Cu system using the Cluster Variation Method. *Zeitschrift für Met.* **x**, xxxx (1999).
 47. Sundman, B., Fries, S. G. & Oates, W. A. A thermodynamic assessment of the Au–Cu system. *Calphad* **22**, 335–354 (1998).
 48. Tang, N.-Y., Su, X. & Toguri, J. M. Experimental study and thermodynamic assessment of the Zn–Fe–Ni system. *Calphad* **25**, 267–277 (2001).
 49. Uhland, S., Lechtman, H. & Kaufman, L. Assessment of the As–Cu–Ni system: An example from archaeology. *Calphad* **25**, 109–124 (2001).
 50. Wang, C. P., Liu, X. J., Ohnuma, I., Kainuma, R. & Ishida, K. Thermodynamic assessment of the Cu–Ni–Pb system. *Calphad* **24**, 149–167 (2000).
 51. Watson, A. & Hayes, F. H. Some experiences modelling the sigma phase in the Ni–V system. *J. Alloys Compd.* **320**, 199–206 (2001).
 52. Xiong, W. *et al.* Construction of the Al–Ni–Si phase diagram over the whole composition and temperature ranges: thermodynamic modeling supported by key experiments and first-principles calculations. *Int. J. Mater. Res.* **99**, 598–612 (2008).
 53. Xiong, W. *et al.* An improved thermodynamic modeling of the Fe–Cr system down to zero kelvin coupled with key experiments. *Calphad* **35**, 355–366 (2011).
 54. Yu, H., Chen, Q. & Jin, Z. Thermodynamic assessment of the CaO–B₂O₃ system. *Calphad* **23**, 101–111 (1999).
 55. Zhang, Y., Liu, H. & Jin, Z. Thermodynamic assessment of the Nb–Ti system. *Calphad* **25**, 305–317 (2001).
 56. Zhao, J.-C., Ravikumar, V. & Beltran, A. M. Phase precipitation and phase stability in nimonic263. *Metall. Mater. Trans. A* **32**, 1271–1282 (2001).
 57. Zhao, J.-C., Bewlay, B. P., Jackson, M. R. & Chen, Q. Hf–Si binary phase diagram determination and

thermodynamic modeling. *J. Phase Equilibria* **21**, 40–45 (2000).

A.3 Calculations of Amorphous Phases (non-equilibrium systems)

1. Chen, Q. & Sundman, B. Modeling of thermodynamic properties for Bcc, Fcc, liquid, and amorphous iron. *J. Phase Equilibria* **22**, 631–644 (2001).
2. Sha, W. Thermodynamic analysis of crystallisation in amorphous solids. *J. Alloys Compd.* **322**, L17– L18 (2001).

A.4 Calculations of Solidification Processes

1. Chen, Q. & Sundman, B. Computation of Partial Equilibrium Solidification with Complete Interstitial and Negligible Substitutional Solute Back Diffusion. *Mater. Trans.* **43**, 551–559 (2002).
2. Hillert, M., Hoglund, L. & Schalin, M. Role of back-diffusion studied by computer simulation. *Metall. Mater. Trans. A* **30**, 1635–1641 (1999).
3. Hillert, M. & Sundman, B. Scheil reaction scheme by computer. *Calphad* **14**, 111–114 (1990).
4. Hillert, M., Höglund, L. & Schalin, M. Computer Simulation of Cooling Curves for Solidification. *Mater. Trans. JIM* **41**, 1098–1103 (2000).
5. Ohsasa, K. Numerical simulation of solidification for aluminum-base multicomponent alloy. *J. Phase Equilibria* **22**, 498–503 (2001).
6. Saunders, N. & Miodownik, A. P. *CALPHAD (Calculation of Phase Diagrams): A Comprehensive Guide*. (Elsevier Science Ltd., 1998).
7. Schön, C. G. & Sinatora, A. Simulation of solidification paths in high chromium white cast irons for wear applications. *Calphad* **22**, 437–448 (1998).
8. Sundman, B. & Shi, P. in *Proceedings of the Ninth International Conference on High Temperature Materials Chemistry: Held at University Park, PA on May 19 - 23, 1997* (ed. Spear, K. E.) 52–59 (Electrochemical Society, 1997).
9. Sundman, B. in *The SGTE Casebook: Thermodynamics at Work* (ed. Hack, K.) 183–186 (Woodhead Publishing Ltd and Maney Publishing on behalf of The Institute of Materials, Minerals and Mining, 2008).
10. Sundman, B. & Ansara, I. in *The SGTE Casebook: Thermodynamics at Work* (ed. Hack, K.) 94–98 (Woodhead Publishing Ltd and Maney Publishing on behalf of The Institute of Materials, Minerals and Mining, 2008).
11. Yamada, W., Matsumiya, T. & Sundman, B. in *Computer Aided Innovation of New Materials* (eds. Kihara, J., Yamamoto, R., Doyama, M. & Suzuki, T.) 587 (Elsevier Science Publishers B. V., 1991).

A.5 Calculations of Solute Drag

1. Hillert, M. & Schalin, M. Application of a solute drag model to massive transformations. Trita-Mac R. Inst. Technol. Stock. (1999).
2. Hillert, M. & Sundman, B. A treatment of the solute drag on moving grain boundaries and phase interfaces in binary alloys. *Acta Metall.* **24**, 731–743 (1976).
3. Hillert, M. & Sundman, B. A solute-drag treatment of the transition from diffusion-controlled to diffusionless solidification. *Acta Metall.* **25**, 11–18 (1977).
4. Schalin, M. & Sundman, B. Solute drag in multi-component systems. Trita-Mac R. Inst. Technol. Stock. 623 (1998).

A.6 Calculations of Ceramics and Oxide-Nitride-Sulfide Systems

1. Assal, J. Thermodynamic Optimization of the Ag-Bi-Sr-Ca-Cu-O System and Application to the Processing of Bi-2212 with Silver. Doctoral Thesis (ETH Zürich, 1998).
2. Assal, J., Hallstedt, B. & Gauckler, L. J. Formation of the Bi-2212 compound with silver: a comparison between experimental results and the CALPHAD method. *Zeitschrift für Met.* **90**, 1025–1030 (1999).
3. Assal, J., Hallstedt, B. & Gauckler, L. J. Thermodynamic evaluation of the Mg-Cu-O system. *Zeitschrift für Met.* **87**, 568–573 (1996).

4. Assal, J., Hallstedt, B. & Gauckler, L. J. Thermodynamic assessment of the Ag-Cu-O system. *J. Phase Equilibria* **19**, 351–360 (1998).
5. Assal, J., Hallstedt, B. & Gauckler, L. J. Thermodynamic Optimization of the Silver-Bismuth-Strontium-Calcium-Copper-Oxygen (Ag-Bi-Sr-Ca-Cu-O) System. *J. Am. Ceram. Soc.* **83**, 911–914 (2000).
6. Assal, J., Hallstedt, B. & Gauckler, L. J. Thermodynamic Assessment of the Silver–Oxygen System. *J. Am. Ceram. Soc.* **80**, 3054–3060 (1997).
7. Assal, J., Hallstedt, B. & Gauckler, L. J. Experimental Phase-Diagram Study and Thermodynamic Optimization of the Silver-Strontium-Copper-Oxygen (Ag-Sr-Cu-O) and Silver-Calcium-Copper-Oxygen (Ag-Ca-Cu-O) Systems. *J. Am. Ceram. Soc.* **82**, 3591–3596 (1999).
8. Assal, J., Hallstedt, B. & Gauckler, L. J. Experimental Phase Diagram Study and Thermodynamic Optimization of the Ag-Bi-O System. *J. Am. Ceram. Soc.* **82**, 711–715 (1999).
9. Boudene, A. *et al.* Thermochemical measurements and assessment of the phase diagrams in the system Y-Ba-Cu-O. *High Temp. Mater. Sci.* **35**, 159–179 (1996).
10. Du, Y., Yashima, M., Koura, T., Kakihana, M. & Yoshimura, M. Measurement and calculation of the ZrO₂-CeO₂-LaO_{1.5} phase diagram. *Calphad* **20**, 95–108 (1996).
11. Dumitrescu, L. F. S. & Sundman, B. Computer simulation of β'-sialon synthesis. *J. Eur. Ceram. Soc.* **15**, 89–94 (1995).
12. Dumitrescu, L. & Sundman, B. A thermodynamic reassessment of the Si-Al-O-N system. *J. Eur. Ceram. Soc.* **15**, 239–247 (1995).
13. Fernández-Guillermet, A., Hillert, M., Jansson, B. & Sundman, B. An assessment of the Fe-S system using a two-sublattice model for the liquid phase. *Metall. Trans. B* **12**, 745–754 (1981).
14. Grundy, A. N., Hallstedt, B. & Gauckler, L. J. Thermodynamic assessment of the lanthanum-oxygen system. *J. Phase Equilibria* **22**, 105–113 (2001).
15. Hallstedt, B. Thermodynamics and Reactions in Al-Ca-Mg-Si Alloy-Oxide Composites. Doctoral Thesis (KTH Royal Institute of Technology, 1980).
16. Hallstedt, B. Thermodynamic calculation of some subsystems of the Al-Ca-Mg-Si-O system. *J. Phase Equilibria* **14**, 662–675 (1993).
17. Hallstedt, B., Risold, D. & Gauckler, L. J. Thermodynamic assessment of the copper-oxygen system. *J. Phase Equilibria* **15**, 483–499 (1994).
18. Hallstedt, B. Assessment of the CaO-Al₂O₃ System. *J. Am. Ceram. Soc.* **73**, 15–23 (1990).
19. Hallstedt, B. The Magnesium-Oxygen system. *Calphad* **17**, 281–286 (1993).
20. Hallstedt, B. Thermodynamic Assessment of the CaO–MgO–Al₂O₃ System. *J. Am. Ceram. Soc.* **78**, 193–198 (1995).
21. Hallstedt, B. Thermodynamic Assessment of the System MgO–Al₂O₃. *J. Am. Ceram. Soc.* **75**, 1497–1507 (1992).
22. Hallstedt, B. Thermodynamic assessment of the Silicon-Oxygen system. *Calphad* **16**, 53–61 (1992).
23. Hallstedt, B., Risold, D. & Gauckler, L. J. Thermodynamic Assessment of the Bismuth–Calcium–Oxygen Oxide System. *J. Am. Ceram. Soc.* **80**, 2629–2636 (1997).
24. Hallstedt, B., Risold, D. & Gauckler, L. J. Thermodynamic Evaluation of the Bi-Cu-O System. *J. Am. Ceram. Soc.* **79**, 353–358 (1996).
25. Hallstedt, B., Risold, D. & Gauckler, L. J. Thermodynamic Assessment of the Bismuth–Strontium–Oxygen Oxide System. *J. Am. Ceram. Soc.* **80**, 1085–1094 (1997).
26. Hillert, M., Jansson, B. & Sundman, B. Thermodynamic calculation of the Si-N-O system. *Zeitschrift für Met.* **83**, 648–654 (1992).
27. Hillert, M., Selleby, M. & Sundman, B. An assessment of the Ca-Fe-O system. *Metall. Trans. A* **21**, 2759–2776 (1990).

28. Hillert, M., Sundman, B. & Wang, X. An assessment of the CaO-SiO₂ system. *Metall. Trans. B* **21**, 303–312 (1990).
29. Hillert, M., Sundman, B., Wang, X. & Barry, T. A reevaluation of the Rankinite phase in the CaO-SiO₂ system. *Calphad* **15**, 53–58 (1991).
30. Lu, X. & Jin, Z. Thermodynamic assessment of the BaO - TiO₂ quasibinary system. *Calphad* **24**, 319–338 (2000).
31. Mao, H., Sundman, B., Wang, Z. & Saxena, S. K. Volumetric properties and phase relations of silica — thermodynamic assessment. *J. Alloys Compd.* **327**, 253–262 (2001).
32. Miettinen, J. & Hallstedt, B. Thermodynamic assessment of the Fe-FeS-MnS-Mn system. *Calphad* **22**, 257–273 (1998).
33. Risold, D. Thermodynamic Modelling and Calculation of Phase Equilibria in the Bi-Sr-Ca-Cu-O System. Doctoral Thesis (ETH Zürich, 1996).
34. Risold, D., Hallstedt, B., Gauckler, L. J., Lukas, H. L. & Fries, S. G. The bismuth-oxygen system. *J. Phase Equilibria* **16**, 223–234 (1995).
35. Risold, D., Hallstedt, B. & Gauckler, L. J. The strontium-oxygen system. *Calphad* **20**, 353–361 (1996).
36. Risold, D., Hallstedt, B. & Gauckler, L. J. Thermodynamic Assessment of the Ca-Cu-O System. *J. Am. Ceram. Soc.* **78**, 2655–2661 (1995).
37. Risold, D., Hallstedt, B. & Gauckler, L. J. Thermodynamic Modeling and Calculation of Phase Equilibria in the Strontium-Calcium-Copper-Oxygen System at Ambient Pressure. *J. Am. Ceram. Soc.* **80**, 537–550 (1997).
38. Risold, D., Hallstedt, B. & Gauckler, L. J. Thermodynamic Assessment of the Strontium-Copper-Oxygen System. *J. Am. Ceram. Soc.* **80**, 527–536 (1997).
39. Seifert, H. J., Kussmaul, A. & Aldinger, F. Phase equilibria and diffusion paths in the Ti-Al-O-N system. *J. Alloys Compd.* **317–318**, 19–25 (2001).
40. Seifert, H. J., Peng, J., Lukas, H. L. & Aldinger, F. Phase equilibria and thermal analysis of Si-C-N ceramics. *J. Alloys Compd.* **320**, 251–261 (2001).
41. Selleby, M. & Sundman, B. A reassessment of the Ca-Fe-O system. *Calphad* **20**, 381–392 (1996).
42. Sundman, B. An assessment of the Fe-O system. *J. Phase Equilibria* **12**, 127–140 (1991).
43. Sundman, B. & Aldinger, F. Computer simulation of synthesis of nitride ceramics. in *Proceedings of TMS Conference on Applications of Thermodynamics in the Synthesis and Processing of Materials* (eds. Sundman, B. & Nash, P.) 29–36 (1995).
44. Teoreanu, I., Sundman, B. & Dumitrescu, L. Design of high temperature SiAlON materials using Computational Thermodynamics. *Rev. Roum. Chim.* **40**, 1083–1092 (1995).
45. Wang, M. & Sundman, B. Thermodynamic assessment of the Mn-O system. *Metall. Trans. B* **23**, 821–831 (1992).
46. Wu, K. & Jin, Z. Thermodynamic assessment of the HfO₂-MgO system. *Calphad* **21**, 411–420 (1997).
47. Wu, K. & Jin, Z. Thermodynamic assessment of the HfO₂-YO_{1.5} quasibinary system. *Calphad* **21**, 421–431 (1997).

A.7 Calculations of Minerals and Supercritical Fluids

1. Belonoshko, A. B., Shi, P. & Saxena, S. K. SUPERFLUID: a FORTRAN-77 program for calculation of gibbs free energy and volume of C-H-O-N-S-Ar mixtures. *Comput. Geosci.* **18**, 1267–1269 (1992).
2. Fabrichnaya, O. B. Thermodynamic modelling of melting in the system FeO-MgO-SiO₂-O₂ at pressure of 1 bar. *Calphad* **24**, 113–131 (2000).
3. Fabrichnaya, O. B. The phase relations in the FeO-MgO-Al₂O₃-SiO₂ system: assessment of thermodynamic properties and phase equilibria at pressures up to 30 GPa. *Calphad* **23**, 19–67 (1999).

4. Fabrichnaya, O. B. & Kuskov, O. L. Constitution of the Moon: 1. Assessment of thermodynamic properties and reliability of phase relation calculations in the FeO-MgO-Al₂O₃-SiO₂ system. *Phys. Earth Planet. Inter.* **83**, 175–196 (1994).
5. Fabrichnaya, O. B. & Sundman, B. The assessment of thermodynamic parameters in the Fe-O and Fe-Si-O systems. *Geochim. Cosmochim. Acta* **61**, 4539–4555 (1997).
6. Fabrichnaya, O. B. & Kushov, O. L. Constitution of the mantle. I. Phase relations in the FeO-MgO-SiO₂ system at 10–30 GPa. *Phys. Earth Planet. Inter.* **69**, 56–71 (1991).
7. Fabrichnaya, O. The assessment of thermodynamic parameters for solid phases in the Fe-Mg-O and Fe-Mg-Si-O systems. *Calphad* **22**, 85–125 (1998).
8. Fabrichnaya, O. B. Thermodynamic data for phases in the FeO-MgO-SiO₂ system and phase relations in the mantle transition zone. *Phys. Chem. Miner.* **22**, 323–332 (1995).
9. Kuskov, O. L. & Fabrichnaya, O. B. Constitution of the Moon: 2. Composition and seismic properties of the lower mantle. *Phys. Earth Planet. Inter.* **83**, 197–216 (1994).
10. Saxena, S. K. Assessment of bulk modulus, thermal expansion and heat capacity of minerals. *Geochim. Cosmochim. Acta* **53**, 785–789 (1989).
11. Saxena, S. K. Earth mineralogical model: Gibbs free energy minimization computation in the system MgO-FeO-SiO₂. *Geochim. Cosmochim. Acta* **60**, 2379–2395 (1996).
12. Saxena, S. K. & Zhang, J. Thermochemical and pressure-volume-temperature systematics of data on solids, examples: Tungsten and MgO. *Phys. Chem. Miner.* **17**, 45–51 (1990).
13. Saxena, S. K., Chatterjee, N., Fei, Y. & Shen, G. *Thermodynamic Data on Oxides and Silicates: An Assessed Data Set Based on Thermochemistry and High Pressure Phase Equilibrium*. (Springer-Verlag, 1993).
14. Saxena, S. K. & Shen, G. Assessed data on heat capacity, thermal expansion, and compressibility for some oxides and silicates. *J. Geophys. Res. Solid Earth* **97**, 19813–19825 (1992).
15. Shi, P. *Thermodynamics of the Ca-Fe-Si-H-O-S system: Stabilities of the andradite-hedenbergite skarns*. (1992).
16. Shi, P. Fluid Fugacities and Phase Equilibria in the Fe-Si-O-H-S System. *Am. Mineral.* **77**, 9–10 (1992).
17. Shi, P. & Saxena, S. K. *Thermodynamics of the Fe-Si-C-H-O-S system: Phase equilibria involving graphite*. (CAMPADA Project Report, 1992).
18. Shi, P. & Saxena, S. K. Thermodynamic Modeling of the C-H-O-S Fluid System. *Am. Mineral.* **77**, 1038–1049 (1992).
19. Shi, P., Saxena, S. K. & Sundman, B. Sublattice solid solution model and its application to orthopyroxene (Mg, Fe)₂Si₂O₆. *Phys. Chem. Miner.* **18**, 393–405 (1992).
20. Shi, P., Saxena, S. K., Zhang Zheru & Sundman, B. *Thermodynamics of the Ca-Mg-Fe-Al-Si-O pyroxenes: II. Assessment of the Ca-Fe-Si-O and Mg-Al-Si-O systems*. (1994).
21. Shi, P., Saxena, S. K., Zheru, Z. & Sundman, B. Thermodynamics of the Ca-Mg-Fe-Al-Si-O Pyroxenes: I. Theoretical model and assessment of the Ca-Mg-Si-O system. *Calphad* **18**, 47–69 (1994).
22. Shi, P., Saxena, S. K., Zheru, Z. & Sundman, B. Re-assessment of the Ca-Mg-Si-O pyroxenes. *Calphad* **1**, 93–94 (1996).
23. Shi, P., Saxena, S. K. & Eriksson, G. Thermodynamic Models, Methods and Databases Used in Studying Geochemical Processes of Hydrothermal Systems. (1992).
24. Swamy, V., Saxena, S. K. & Sundman, B. An assessment of the one-bar liquidus phase relations in the MgO-SiO₂ system. *Calphad* **18**, 157–164 (1994).
25. Swamy, V., Saxena, S. K., Sundman, B. & Zhang, J. A thermodynamic assessment of silica phase diagrams. *J. Geophys. Res. Solid Earth* **99**, 11787–11794 (1994).

A.8 Calculations of Aqueous Solutions Involving Interaction Systems

1. Campbell, C. E. System Design of High Performance Stainless Steels. Doctoral Thesis

- (Northwestern University, 1997).
2. Plyasunova, N. V., Wang, M., Zhang, Y. & Muhammed, M. Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions II. Hydrolysis and hydroxo-complexes of Cu^{2+} at 298.15 K. *Hydrometallurgy* **45**, 37–51 (1997).
 3. Plyasunova, N. V., Zhang, Y. & Muhammed, M. Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions. IV. Hydrolysis and hydroxo-complexes of Ni^{2+} at 298.15 K. *Hydrometallurgy* **48**, 43–63 (1998).
 4. Plyasunova, N. V., Zhang, Y. & Muhammed, M. Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions. V. hydrolysis and hydroxo-complexes of Co^{2+} at 298.15 K. *Hydrometallurgy* **48**, 153–169 (1998).
 5. Shi, P. Heterogeneous equilibrium calculations involving aqueous solution using Thermo-Calc. in *Calphad XXVII* 65 (1998). at <<http://www.calphad.org/meetings/1998/index.htm>>
 6. Shi, P. Applications of Thermo-Calc aqueous solution databases. in *Calphad XXVIII* 134 (1999). at <<http://www.calphad.org/meetings/1999/index.htm>>
 7. Shi, P., Saxena, S. K., Smellie, J., Eriksson, G. & Pagel, M. *Simulation of geochemical processes involved in the origin and evolution of the Cigar Lake uranium deposit*. (1995).
 8. Shi, P., Saxena, S. K. & Eriksson, G. Thermodynamic Models, Methods and Databases Used in Studying Geochemical Processes of Hydrothermal Systems. (1992).
 9. Shi, P. & Sundman, B. Aqueous solution models, databases and modules implemented in Thermo- Calc. in *Calphad XXVI* 5e (1997). at <<http://www.calphad.org/meetings/1997/index.htm>>
 10. Sundman, B. & Shi, P. in *Proceedings of the Ninth International Conference on High Temperature Materials Chemistry: Held at University Park, PA on May 19 - 23, 1997* (ed. Spear, K. E.) 52–59 (Electrochemical Society, 1997).
 11. Wang, M., Zhang, Y. & Muhammed, M. Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions III. The system $\text{Cu(I,II)} - \text{Cl}^- - \text{e}$ at 298.15 K. *Hydrometallurgy* **45**, 53–72 (1997).
 12. Wang, M., Zhang, Y. & Muhammed, M. Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions I. A description of evaluation methods. *Hydrometallurgy* **45**, 21–36 (1997).
 13. Zhang, Y. & Muhammed, M. Critical evaluation of thermodynamics of complex formation of metal ions in aqueous solutions: VI. Hydrolysis and hydroxo-complexes of Zn^{2+} at 298.15 K. *Hydrometallurgy* **60**, 215–236 (2001).

A.9 Calculations for Semiconductors

1. Ansara, I. *et al.* A binary database for III–V compound semiconductor systems. *Calphad* **18**, 177– 222 (1994).
2. Chen, Q. *et al.* Phase equilibria, defect chemistry and semiconducting properties of CdTe(s) — Thermodynamic modeling. *J. Electron. Mater.* **27**, 961–971 (1998).
3. Li, C., Li, J. B., Du, Z. & Zhang, W. A thermodynamic assessment of the Ga-In-P system. *J. Phase Equilibria* **21**, 357–363 (2000).
4. Li, C., Li, J.-B., Du, Z., Lu, L. & Zhang, W. A thermodynamic reassessment of the Al-As-Ga system. *J. Phase Equilibria* **22**, 26–33 (2001).
5. Li, C., Du, Z. & Zhang, W. Thermodynamic Analysis of Ga-N-C-H system for MOVPE process. *Calphad* **24**, 169–180 (2000).
6. Shen, J. Y., Chatillon, C. & Ansara, I. Influence of the elastic energy due to lattice mismatch on phase equilibria in the epitaxy of As-Ga-In layers. *Calphad* **22**, 495–512 (1998).
7. Zhang, W., Li, C. & Du, Z. A thermodynamic database of the Al-Ga-In-P-As-Sb-C-H system and its application in the design of an epitaxy process for III–V semiconductors. *J. Phase Equilibria* **22**, 475–481 (2001).

A.10 Calculations for Solders

1. Kattner, U. R. & Handwerker, C. A. Calculation of phase equilibria in candidate solder alloys. *Zeitschrift für Met.* **92**, 740–746 (2001).
2. Kattner, U. R. Phase diagrams for lead-free solder alloys. *JOM* **54**, 45–51 (2002).
3. Moon, K.-W., Boettinger, W. J., Kattner, U. R., Handwerker, C. A. & Lee, D.-J. The effect of Pb contamination on the solidification behavior of Sn-Bi solders. *J. Electron. Mater.* **30**, 45–52 (2001).
4. Moon, K.-W., Boettinger, W. J., Kattner, U. R., Biancaniello, F. S. & Handwerker, C. A. Experimental and thermodynamic assessment of Sn-Ag-Cu solder alloys. *J. Electron. Mater.* **29**, 1122–1136 (2000).

A.11 Applications of the TQ and TCAPI Interfaces

1. Borgenstam, A. & Hillert, M. Activation energy for isothermal martensite in ferrous alloys. *Acta Mater.* **45**, 651–662 (1997).
2. Borgenstam, A. & Hillert, M. Driving force for f.c.c. → b.c.c. martensites in Fe-X alloys. *Acta Mater.* **45**, 2079–2091 (1997).
3. Borgenstam, A., Hillert, M. & Ågren, J. Critical temperature for growth of martensite. *Acta Metall. Mater.* **43**, 945–954 (1995).
4. Borgenstam, A. & Hillert, M. Bainite in the light of rapid continuous cooling information. *Metall. Mater. Trans. A* **27**, 1501–1512 (1996).
5. Borgenstam, A., Höglund, L., Ågren, J. & Engström, A. DICTRA, a tool for simulation of diffusional transformations in alloys. *J. Phase Equilibria* **21**, 269–280 (2000).
6. Ghosh, G. & Olson, G. B. Simulation of paraequilibrium growth in multicomponent systems. *Metall. Mater. Trans. A* **32**, 455–467 (2001).
7. Ghosh, G. & Olson, G. B. Computational thermodynamics and the kinetics of martensitic transformation. *J. Phase Equilibria* **22**, 199–207 (2001).
8. Grafe, U., Ma, D., Engström, A. & Fries, S. G. in *Modeling of Casting, Welding and Advanced Solidification Processes VIII* (eds. Thomas, B. G. & Beckermann, C.) 227–234 (TMS, 1998).
9. Li, J.-B., Yang, C. & Dong, H. Computer simulations of phase transformation in steels. *Mater. Des.* **22**, 39–43 (2001).
10. Liu, Z.-K. in *The Minerals, Metals and Minerals Society* (eds. Johnson, W. C., Delany, J. M., Laughlin, D. E. & Soffa, W. A.) 39–44 (1994).
11. Ohsasa, K., Narita, T. & Shinmura, T. Numerical modeling of the transient liquid phase bonding process of Ni using Ni-B-Cr ternary filler metal. *J. Phase Equilibria* **20**, 199–206 (1999).
12. Olson, G. B. Computational Design of Hierarchically Structured Materials. *Science* (80-.). **277**, 1237–1242 (1997).
13. Olson, G. B. Designing a New Material World. *Science* (80-.). **288**, 993–998 (2000).
14. Schalin, M. Computational Tools for Simulation of Phase Transformation: Applications to Massive Transformations and Solidification. Doctoral Thesis (KTH Royal Institute of Technology, 1999).
15. Stephenson, T. A., Campbell, C. E. & Olson, G. B. System Design of Advanced Bearing Steels. in *Advanced Earth-to-orbit propulsion technology information, dissemination and research (volume II)* (eds. Richmond, R. J. & Wu, S. T.) 299–307 (NASA, 1992). At <<http://ntrs.nasa.gov/search.jsp?R=19930019491>>